



Jiangling 23-Seater Diesel Tourist Bus Business Reception Bus 4x2 Manual Transmission

Our Product Introduction

for more products please visit us on vehicle-automobile.com

Basic Information

- Place of Origin: China
- Brand Name: Fushunte
- Model Number: Jiangling 23-seater diesel tourist bus business reception bus 4x2 manual transmission
- Minimum Order Quantity: 1 vehicle
- Price: \$45000-\$55000Dollar
- Packaging Details: Complete vehicle
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 1000 vehicle



Product Specification

- Driver Amenities: Air Ride Seat, Ergonomic Controls
- Engine: Diesel
- Engine Type: Diesel
- Entertainment_System: DVD Player/TV
- Exterior: Paint, Chrome Accents
- Gps Navigation System: Yes
- Luggage_Storage: Overhead Compartments/undercarriage
- Model: Tour Bus
- Refrigerator: Yes
- Safety Features: ABS, EBD, Airbag
- Safetysystem: Yes
- Seats: 20 Seater
- Suspension: Air Suspension
- Transmission: Manual/automatic
- Width: 2.5-3 Meters



More Images



Product Description

Jiangling 23-Seater Diesel Tourist Bus Business Reception Bus 4x2 Manual Transmission

Sure! Here's a segmented description of a tourist and business reception coach, organized clearly:

Vehicle Type and Purpose: A tourist and business reception coach is a specialized vehicle designed for accommodating and transporting business travel groups. It is custom-designed based on client requirements and provides a comfortable seating environment and convenient business facilities to meet the needs of business travel.

Interior Layout and Seating Configuration: The interior layout of a tourist and business reception coach emphasizes comfort and convenience. It is typically equipped with comfortable seats that offer ample legroom and adjustable features for enhanced passenger comfort. Additionally, the vehicle may include foldable tables, cup holders, entertainment systems, and charging outlets as business amenities.

Air Conditioning and Comfort: Tourist and business reception coaches are typically equipped with powerful air conditioning systems to ensure a comfortable interior temperature. They may feature individually controlled air conditioning zones to cater to different passenger preferences. The vehicle's interior may also be fitted with soundproofing materials to reduce noise and provide a quieter riding environment.

Communication and Connectivity Features: To meet business needs, tourist and business reception coaches are often equipped with communication and connectivity features. These may include wireless internet connectivity, Bluetooth connections, USB charging ports, and power outlets for electronic devices. Some vehicles may also have built-in displays or projectors to facilitate business presentations and meetings.

Safety and Comfort: Tourist and business reception coaches prioritize passenger safety and comfort. They typically come equipped with safety belts, emergency exit signs, anti-lock braking systems, and stability control systems for active and passive safety. The vehicle's suspension system may utilize air suspension or shock absorbers to provide a smoother and more comfortable ride experience.

By providing the above segmented description, we can clearly understand the type and purpose of a tourist and business reception coach, its interior layout and seating configuration, air conditioning and comfort features, communication and connectivity functionalities, as well as safety and comfort aspects. These descriptions help us understand the business travel

Our Product Introduction

services offered by the coach and its provision of a comfortable and convenient seating environment and amenities for business teams.

Vehicle technical parameters	
use	Passenger bus, tourist bus, group bus
Body length	7145mm
Body width	2050mm
Body height	2820mm
Vehicle quality	4950kg
total mass	6800kg
number of seats	10-23
Seat form	imitation leather seats
maximum speed	100km/h
Heating system	Warm water pipes without insulation
Air Conditioning System	Built-in air conditioner, tube and belt condenser
audiovisual system	Radio (with MP3 port)
Auxiliary configuration	Tachograph, speed limiting device
engine	JX4D306H,4JJ1GJ
Engine power	112kw,125kw
Displacement	2892ml,2999ml
Engine brand	Jiangling Motors Co., Ltd., Jiangxi Isuzu Engine Co., Ltd.
Maximum torque	382mm
Emission Standards	GB17691-20018 National VI
Fuel type	diesel fuel
front suspension rear suspension	1150/2060mm
Suspension System	front 3 back 4
Number of spring leaves	3/4,-/4,-/2
gearbox	Jiangling 6MT1420
clutch	Single piece, dry, diaphragm spring
Number of axes	2
Wheelbase	3935mm
Axle load	2500/4300kg
Front track	1685mm
rear wheelbase	1525,1555mm
Approaching departure angle	18/13°
Number of tires	6
Specification	215/75R17.5







Sichuan Fushunte Automobile Co., Ltd.



+8613568891631



609965408@qq.com



vehicle-automobile.com

No. 15, Wuxing 4th Road, Wuhou District, Chengdu City